


Datasheet of 16m Self-propelled Scissor Lift

Model	Load capacity (kg)	Platform size (mm)	Platform height (m)	Working height (m)	Unit price (USD)		
Hydraulic Drive Wheeled Scissor Lift							
GMH16	230	2636*1130*1200	13.8	15.8	9500		
 Warranty: Certificate: 	ne: 15 days after a erms: 50% T/T as de 1 year for control sys CE / ISO 9001 capacity: 300 units	stem, 5 years for st					

GEMINI EQUIPMENT & ENGINEERING CO., LTD ROOM 931, BLDG 3, CCPARK JI'NAN, PILOT FREE TRADE ZONE, SHANDONG, CHINA

GEMINI

Smart Industrial Solutions



GEMINI

GEMINI EQUIPMENT & ENGINEERING CO., LTD ROOM 931, BLDG 3, CCPARK JI'NAN, PILOT FREE TRADE ZONE, SHANDONG, CHINA Smart Industrial Solutions

Subject: Self-propelled Electric Scissor lift

Detailed Specifications:

Specification	Unit	GMH16	
Platform capacity	Kg	230	
Extension capacity	Kg	100	w
Length(L)	mm	2850	
Width(W)	mm	1380	I
Height(rail up)	mm	2580	
Height(rail down)	mm	1950	w
Platform size	mm	2636*1130*1200	
Extension	mm	900	
Ground clearance (folded)	mm	20	
Ground clearance (raised)	mm	100	8
Wheel base	mm	1900	
Turning radius (inner)	mm	0	
Turning radius (outer)	mm	2200	$\mathbf{\lambda}$
Lifting motor	V/Kw	24/4.5	
Rising/lowering speed	min	3-5m	
Travel speed (folded)	Km/h	3.5	н-1 Н-2
Travel speed (raised)	Km/h	0.8	$\langle \rangle$
Battery	V/Ah	4x6/225	X
Charger	V/A	24/30	
Grade ability	%	25	. X
Max. slope	0	1.5/3	0.1.0
Tires	mm	Ф381x127	
Overall weight	Kg	3370	

GEMINI EQUIPMENT & ENGINEERING CO., LTD ROOM 931, BLDG 3, CCPARK JI'NAN, PILOT FREE TRADE ZONE, SHANDONG, CHINA Smart Industrial Solutions

Key features:

- Strong stability at height;
- Non-marking tires
- True zero inside turning radius, working well in tight areas;
- Swing doors on both sides, easy for maintenance;
- Extended duty cycle due to highly efficient design.
- Safety protections: tilting sensor / overload sensor / pithole protection / automatic braking

/ manual lowering / automatic stop when overheated / safety valve on hydraulic cylinder

Standard configuration:

Proportional control	Automatic baking system	
Automatic pit-hole protection	Emergency decline system	
Self-locking door	Emergency stop button	
Max. height self-propelled walking	Explosion-proof tube	
90°right turning and 75°left turning	Fault diagnosis system	
Battery charging protection	Inclined protection system	
GPS remote lock function	Charging protection	
Overloading protection	Maintenance safety bracket	

The maintenance service policy:

1. control system main board: guaranteed for 3 years

2. emergency stop button, operation panel, joy stick : guaranteed for 1 year

3. other spare parts including the hydraulic system, oil pipe, wire & cable, motor, pump etc.: guaranteed for 1 year

4. main structure including the welding, crisscross scissor parts & platform: guaranteed for 5 years

When malfunction occurs, video or picture is required first to pass the our engineer to find out the problem.

After guarantee expires, the cost of spare parts and delivery charge will be afforded by customers. If our engineers' assistance is necessary, the service charge is USD 150/day per person with flights & accommodation afforded by customers.



GEMINI EQUIPMENT & ENGINEERING CO., LTD

ROOM 931, BLDG 3, CCPARK JI'NAN, PILOT FREE TRADE ZONE, SHANDONG, CHINA

Smart Industrial Solutions

CE

(
No. 4Z240705.GEETN	N65 Construction File no. TCF-GM-2024-07-05
Certificate's	Gemini Equipment and Engineering Co., Ltd
Holder:	ROOM BOO3, 4TH FLOOR, BUILDING 1-A, NORTH SECTION, GANGXING 3RD ROAD, JINAN, CHINA (SHANDONG) PILOT FREE TRADE ZONE
Certification ECM Mark	Type Approved
Product:	Lift Platform
Model(s):	GMH08, GMH10, GMH12, GMH14, GMH16, GMHVL, GMHXG, GMHGTWY, GMH08TRX, GMH10TRX, GMH12TRX, GMH14TRX, GMH16TRX, GMH214D, GMH216D, GMH218D, GMH220D, GMHV12, GMHV14, GMHV16, GMHV18, GMHV20, GMHV22, GMHV24, GMHV26, GMH12AE, GMH14AE, GMH16AE, GMH18AE GMH20AE, GMH22AE, GMH24AE, AMWP
Verification to:	Standard: EN ISO 12100:2010, EN 60204-1:2018, EN 280-1:2022
	related to CE Directive(s): 2006/42/EC (Machinery)
product for verification. I and immediately returned above-mentioned direct technical documentation replace the EC Declarct	roluntarily decided to submit its documents concerning the above-mentione Ente Certificazione Macchine confirms that the documentation made availab ed to it, as containing sensitive data, meets the essential requirements of it tive/standard. The verification activity carried out exclusively concerned the on and no verification was carried out on the product. This document cann- ation of Conformity. This document was issued in accordance with regulation the website of <u>www.entecerma.it</u> and concerning voluntary certifications with
Issuance date: 05 Ju	ıly 2024
Expiry date: 04 July 2	2029
For online ch	neck: Approver Ente Certificazione Macchine
	Legal Representative Luca Bedonni



GEMINI EQUIPMENT & ENGINEERING CO., LTD

ROOM 931, BLDG 3, CCPARK JI'NAN, PILOT FREE TRADE ZONE, SHANDONG, CHINA *Smart Industrial Salutions*

ISO9001CERTIFIC

HINA STANDARD UNION



QUALITY MANAGEMENT SYSTEM

CERTIFICATION

Certificate No: Q2001093R0S

This is to certify that

Gemini Equipment and Engineering Co., Ltd.

Uniform social credit code: 91370104MA3MP0770G Registered add: Room 2205,Shanxin Mansion No.2066 Qizhou Road,Huaiyin district,Jinan,Shandong,China Business add: Room 202,Zhongbao Oil,No.31-2 Industrial South Road,Hi- tech Zone,Jinan,Shandong,China

> Quality management system meets the standards GB/T 19001-2016/ISO 9001:2015

Scope of certification:

Sales of Construction Machinery

(Exclusion clause :8.3)

Issue Date: 2020/06/04 Reissue Date: 2020/06/04 Valid Until: 2026/06/03

First Second supervision mark

Third supervision mark

This certificate is valid for use within the effective period of the administrative license and qualification prescribed by the state; This certificate is maintained by regular supervision and audit, and the time of arrival of this certificate can be used effectively; This certificate can be found in China website www.cnca.gov.cn or certification authority website: www.csuok.com;

